



CMG GardenNotes #722

Frost Protection and Extending the Growing Season

- Outline: Types of frost, page 1
Heat source at night, page 1
Coverings, page 2
Blankets and sheets, page 2
Floating row covers, page 2
Plastic covering on frame, page 2
Cold frame made with concrete reinforcing mesh, page 3
Adding space blankets, page 4
Lights for added heat, page 5
Wall of Water, page 6

Types of Frost


Advection frosts occur when a cold front moves into the area. Temperatures may drop significantly below critical levels thereby making crop protection questionable.

Radiation frosts occur on calm clear nights that lack cloud cover to hold in heat. Radiation frosts at the beginning and end of the growing season are typically only a few degrees below critical levels, making crop protection worthwhile.

Heat Source at Night

Soil, warmed by the sun in the daytime, is the source of heat for frost protection at night. Moist, smooth soil absorbs more heat. To trap heat from the soil around young vegetables at night, place a covering that is low to the ground and spreading. To recharge the heat source for the next night, any covering must allow sunlight to shine through to the soil or must be removed in the daytime. [Figure 1]

Figure 1. The sun warms the soil in the daytime. Heat from the soil keeps crops warm at night. A covering traps heat from the soil around the crops.



Coverings

Blankets and Sheets

Grandma's old method of covering the garden with blankets and sheets works well as long as the fabric remains dry. If the fabric absorbs water, evaporative cooling can lead to colder temperatures adjacent to the blanket. To recharge the heat stored in the soil, the blankets and sheets must be removed in the daytime.

Floating Row Covers

Floating row covers are lightweight fabrics that lay directly over crops. Because they transmit light, they provide crop protection over an extended period of time without being removed. They provide 2°F to 4°F of frost protection, cut wind on tender plants, and screen out some insects. On insect pollinated crops, covers must be removed for pollination to occur. [Figure 2]

Floating row covers are popular in commercial vegetable production where crops planted in large blocks are easily covered with row covers. Many brands and fabric types are commercially available.

Figure 2. Floating row cover on broccoli and cabbage, protecting crops from cabbageworms moths.



Clear Plastic Covering on Frame

When plastic is used as a covering over a growing bed, it must be held up off the plants. Plants will freeze where the plastic touches them.

Tunnel Gardening – Gardening catalogs carry wire hoops for use in “tunnel” or cloche gardening. Hoops are placed at three to five foot intervals depending on the wind exposure of the site. The wire hoops hold up a strip of plastic forming a tunnel-shape covering down the growing bed. Bury the edges of the plastic a few inches into the soil on all sides. On a raised-bed box made with lumber, staple the plastic to the sides of the box. Two-inch holes cut in the sides of the plastic tunnel at two to three foot intervals are essential to reduce overheating.

This type of covering is popular with commercial tomato, pepper, and melon growers for an early start to the growing season. It provides 2°F to 4°F of frost protection, protects tender plants from cold spring wind, and provides warmer

growing temperatures inside the tunnel. Tunnels are removed when warm weather arrives and the danger of frost is past.

Plastic Covered Cold Frame Made with Concrete Reinforcing Mesh

An easy cold frame structure for a growing bed is made with 4-mil clear plastic (polyethylene film) draped over concrete reinforcing mesh. The structure is easily opened during warm days and closed for cold nights. It works well with a 4-foot wide, raised-bed garden system. [Figure 3]

Figure 3. Cold frame for a raised bed garden made from concrete reinforcing mesh covered with 4-mil plastic. Notice the belt-like plastic straps, which hold the covering in place. The covering is slid between the straps and mesh to open and close. Pictured open for ventilation on a warm day.



The frame is concrete reinforcing mesh, available at hardware and lumber stores. This stiff wire mesh typically comes five feet wide, in 50 and 100-foot rolls. A six-foot length is required to make a Quonset-type frame over a four-foot wide growing bed. In trials, the low and spreading shape was ideal for trapping heat from the soil during a frosty night.

Cover the frame with clear, 4-mil polyethylene plastic. It typically is sold in 10' by 25' rolls. For a four-foot wide raised bed box, place a 3½-foot wide section on each side, overlapping at the top. On a raised bed box, staple the plastic to the sides of the wood box. In soil bed applications, bury the plastic a few inches along the sides.

Hold the plastic onto the frame with small clips available at local hardware stores. Clothespins do not hold in the wind. Another method is to use a series of 6-inch wide, belt-like plastic straps arching over the frame (above the plastic cover) and stapled onto the box. Open and close the cover by sliding it between the frame and the belt-like straps. Hold the plastic closed at the ends with a rock or brick. [Figure 4]



Figure 4. Clip holds plastic on frame.

During the day, the covering **MUST** be opened, at least a slit, to prevent overheating. With just an hour of sun, temperatures under a closed cover can quickly rise to over 130°F! [Figure 5]

On cool days, open the top a crack to prevent excessive heat build-up. On a warm day, the plastic can be slid down the side, ventilating and providing crops exposure to the outdoors. On freezing nights, close the cover completely. On warm nights, the covers may be left open a crack. On stormy days with full cloud cover and no direct sun, the cover may remain closed. [Figure 5]



Figure 5. Left: Cover must be opened at least a slit to prevent over-heating. Right: Cold frame pictured closed for a cold night.

Not only will the covers provide frost protection, they also increase growing temperatures for early crop growth and provide protection from cold winds.

In trials in Fort Collins, Colorado, a plastic cover on a frame typically provides 3°F to over 6°F of frost protection. It works well for cool season crops that are somewhat tolerant of frosty nights, and adds two to six weeks or more on both ends of the growing season. For warm season tomatoes and summer squash crops (being intolerant of a frosty nip), adding a small light inside the cold frame provides even better frost protection.

Adding Space Blankets

On extra cold nights, placing an aluminum space blanket over the plastic on the frame significantly adds to the frost protection. With the aluminized side placed down (towards the plants), a space blanket reflects 99% of the heat. They are readily available where camping gear is sold. [Figure 6]

In trials in Fort Collins, topping a plastic-covered, concrete mesh cold frame with a space blanket prevented freezing when outside temperatures dipped to 0°F following a sunny spring day. The space blanket must be removed each day to recharge the soil's stored heat

Figure 6.
Aluminum space
blanket covering a
cold frame for extra
protection on cold
nights.



Lights for Additional Heat

Christmas tree lights – For additional protection, add Christmas tree lights inside the cold frame. In Fort Collins trials, one 25 light string of C-7 (mid-size) Christmas lights per frame unit (four feet wide by five feet long) gave 6°F to over 18°F frost protection. Lights were hung on the frame under the plastic and turned on at dusk and off at dawn. Christmas lights work better than a single, large light bulb in the center by eliminating cold corners and edges. [Figure 7]

Figure 7. Cold
frame with
Christmas tree
lights for additional
warmth.



Space blanket with Christmas tree lights – For the gardener really wanting to extend the growing season, try Christmas lights plus a space blanket. One 25 light string of C-7 (mid-size) Christmas lights per frame unit (four feet wide by five feet long) with a space blanket on top gave 18°F to over 30°F frost protection in Fort Collins trials.

Wall of Water®

The Wall-of-Water® is a cone-shaped ring of connected plastic tubes filled with water that surrounds a single plant, like a tomato, pepper, or summer squash. [Figure 8]

This device works on the chemistry principle of heat release in a phase change; there is a significant amount of heat released as water freezes (changes from the liquid phase to the solid or ice phase). A Wall-of-Water provides frost protection typically down to temperatures in the mid-teens. It also provides wind protection for tender plants and growing temperatures may be slightly warmer inside a Wall-of-Water.

They are helpful to get a few extra weeks head start on vine ripe tomatoes. However, an extra early tomato may out-grow the protection and the tops may be nipped back by frost.

Both cold air temperatures and cold soil temperatures are limiting factors in early crop production. When using a Wall-of-Water to start early crops, warm the soil with black plastic mulch. For details on using plastic mulch, refer to *CMG GardenNotes* #715, **Mulches for the Vegetable Garden**.

In filling the Wall-of-Water, be careful not to splash excessive water onto the soil. A wet soil will be both slow to warm and dry in the spring. Moderately moist soils are best.

Figure 8. Tomato in Wall-of-Water. Notice use of black plastic mulch to warm the soil, another limiting factor of early production. Also, note the plant has grown beyond the device and is now less protected from frost.



Authors: David Whiting (CSU Extension, retired), with Carol O'Meara (CSU Extension, Boulder County), and Carl Wilson (CSU Extension, retired). Photographs by David Whiting; used by permission.

- Colorado Master Gardener *GardenNotes* are available online at www.cmg.colostate.edu.
- Colorado Master Gardener training is made possible, in part, by a grant from the *Colorado Garden Show, Inc.*
- Colorado State University, U.S. Department of Agriculture and Colorado counties cooperating.
- Extension programs are available to all without discrimination.
- No endorsement of products mentioned is intended nor is criticism implied of products not mentioned.
- Copyright 2003-2018. Colorado State University Extension. All Rights Reserved. *CMG GardenNotes* may be reproduced, without change or additions, for nonprofit educational use.

Revised October 2014