

GardenNotes #222

Soil pH

Fact sheet outline: pH, page 1
 pH and nutrient availability, page 2
 Managing alkaline soils, page 3
 Lowering the pH, page 3
 Raising the pH on acid soils, page 5
 Home soil test kits, page 5
 Additional information, page 5

pH

Soil pH is a measurement of the acidity or alkalinity of a soil. On the pH scale, 7.0 is neutral, below seven is acid, and above seven is basic or alkaline. A pH range of 6.8 to 7.2 is termed *near neutral*. Areas of the world with limited rainfall typically have alkaline soils while areas with higher rainfall typically have acid soils.

In Colorado, the majority of our soils are on the alkaline side, having a pH of 7.0 to 7.8 and above. Soils with a pH above 7.5 generally have a high calcium content, known as *free lime*. In some mountain soils and older gardens that have been highly irrigated and cultivated for many years the pH may be in the neutral range or slightly acid.

Many gardening books list the preferred pH for common plants (generally 6.0 to 7.2). For most plants, however, what is preferred and what is tolerated are not related. **Most garden and landscape plants tolerate a pH up to 7.5 to 7.8 with little problem.** The exception is acid loving plants, like blueberries, azaleas, and rhododendrons that need acid soil. Blue hydrangeas also require a pH lower than 5.0 to induce the blue flower color. [Table 1]


Table 1. Soil pH and Plant Growth

<u>Soil Reaction</u>	<u>pH</u>	<u>Plant Growth</u>
	>8.3	Too alkaline for most plants
	7.5	Iron availability becomes a problem on "Calcareous soils"
Alkaline soil	7.2	6.8 to 7.2 – "near neutral" 6.0 to 7.5 – acceptable for most plants
Neutral soil	7.0	
Acid soil	6.8	
	6.0	
	5.5	Reduced soil microbial activity
	<4.6	Too acid for most plants

pH and Nutrient Availability

Soil pH is an important chemical property because it affects the availability of nutrients to plants and the activity of soil microorganisms. The influence of pH on nutrient availability is illustrated in the Figure 1. Iron chlorosis is common in Colorado due to the soil pH. Phosphorus will become less available in highly alkaline soils. Zinc deficiencies are occasionally observed in sensitive field crops, like corn and beans.

Figure 1. Availability of nutrients based on soil pH



Managing Alkaline Soils

In Colorado soils with moderate to high alkalinity (pH above 7.5), manage the soil by giving extra attention to increasing the organic matter, using organic mulches, and light frequent irrigation. Plants are less tolerant of dry soil conditions when the pH is high.

In Colorado, the major problem with high pH is iron chlorosis. For details, refer to CMG GardenNotes #223, *Iron Chlorosis*.

Soils with a pH above 7.3 and/or with *free lime* cannot be adequately amended for acid-loving plants like blueberries, azaleas, and rhododendrons.

In near-neutral pH soils rich with organic matter and without free-lime, gardeners may find a slight decrease in soil pH over many decades. This occurs as irrigation leaches out some naturally occurring elements (calcium and magnesium) contributing to the higher pH. The growth of plants that secrete weak acids into the soil may also contribute to a gradual pH change.

Lowering the pH

Textbooks talk of sulfur applications to lower a soil's pH. This is effective in many part of the country. **However it is not effective in many Colorado soils due to high levels of “*free lime*” (calcium) found in the soils.**

To test for *free lime*, place a heaping tablespoon of crumbled dry soil in a cup. Moisten it with vinegar. If the soil-vinegar mix bubbles, the soil has free lime. **On soils with *free lime*, a gardener will not effectively lower the pH.**

On soils without free lime, the following products may help lower the pH.

Elemental sulfur is one chemical that can be used to lower soil pH. The soil type, present pH, and the desired pH are used to determine the amount of elemental sulfur needed, (see Table 2). Incorporate sulfur to a depth of six inches. It may take several months to over a year to react with the soil, lowering the pH. Test soil pH again 3 to 4 months after initial application. If the soil pH is not in the desired range, reapply.

Table 2. Pounds of Sulfur Needed to Lower Soil pH¹

Material	pH change	Pounds per 100 square feet ²
Sulfur	7.5 to 6.5	1.5
	8.0 to 6.5	3.5
	8.5 to 6.5	4.0
Iron sulfate	7.5 to 6.5	12.5
	8.0 to 6.5	29.0
	8.5 to 6.5	33.2

1 Effective only on soils without free lime, do the vinegar test.

2 Higher rates will be required on fine-textured, clayey soils and soils with a pH 7.3 and above.

Iron sulfate can also be used to acidify soils. This material reacts much faster than elemental sulfur, usually within three to four weeks following application. Do not apply more than nine pounds per 100 square feet in a single application. If higher rates are required, split applications to avoid excessive levels of soluble salts. (See Table 2)

Aluminum sulfate will also lower pH, but it is not recommended as a soil acidifying amendment because of the potential for aluminum toxicity to plant roots.

Acid sphagnum peat incorporated into the soil prior to planting will help provide a favorable rooting environment for the establishment of acid-loving plants in near neutral soils. Incorporate peat at the rate of one to two cubic feet per plant. The positive effects of acid peat will last a few years, but unless other measures are used, the pH of the soil will eventually increase. The pH will be driven up with the high calcium in our irrigation water. Soil high in a pH above 7.3 and/or with *free lime* cannot be adequately amended for acid-loving plants.

Fertilizers – Use of **ammonium sulfate** or **urea** as nitrogen fertilizer sources will also have a small effect on lowering soil pH in soils without free lime. However, do not use these fertilizers at rates greater than those required to meet the nitrogen needs of the plants. For example, ammonium sulfate fertilizer, 21-0-0, at ten pounds per 1000 square feet (maximum rate for crop application) may lower the pH from 7.5 to 7.4.

Fertilizers that contain nitrogen in the nitrate form will have a slight effect to increase the pH.

Raising the pH on Acid Soil

On acid soils, the pH can be raised by adding lime (calcium). The amount to add is determined by the **Buffer Index** test, which measures the responsiveness of the soil to lime applications. The soil test will give recommendations on application rates.

Home pH Test Kits

In alkaline soils, home pH kits have questionable value. Inexpensive kits do not calibrate closely enough on alkaline soils to be meaningful; and small changes in techniques, such as how much water and the pH of the water used in the sample, can change results. Most home soil test kits are designed for acid soils.

Additional Information – *CMG GardenNotes* on Soils, Fertilizers and Soil Amendments:

#211	Introduction to Soils	#222	Soil pH
#212	The Living Soil	#223	Iron Chlorosis
#213	Managing Soil Tilth	#224	Saline Soils
#214	Estimating Soil Texture	#231	Plant Nutrition
#215	Soil Compaction	#232	Understanding Fertilizers
#216	Mulching with Wood/Bark Chips Grass Clippings and Rock	#233	Calculating Fertilizer Rates
#217	Asking Effective Questions about Soils	#234	Organic Fertilizers
#218	Earthworms	#241	Soil Amendments
#219	Soil Drainage	#242	Using Manure
#221	Soil Tests	#243	Using Compost
		#244	Cover Crops and Green Manure Crops

Authors: David Whiting, Adrian Card and Carl Wilson: Colorado State University Extension

- Colorado Master Gardener *GardenNotes* are available on-line at www.cmg.colostate.edu.
- Colorado Master Gardener training is made possible, in part, by a grant from the *Colorado Garden Show, Inc.*
- Colorado State University, U.S. Department of Agriculture and Colorado counties cooperating.
- Extension programs are available to all without discrimination.
- No endorsement of products mentioned is intended nor is criticism implied of products not mentioned.
- Copyright 2002-2006. Colorado State University Extension. All Rights Reserved. *CMG GardenNotes* may be reproduced, without change or additions, for non-profit educational use.



Revised December 2006